

CLAIM AMENDMENTS

1 1. (original) A vibrator (1) for sexual stimulation and
2 having a device (2) for producing vibrations, characterized in that
3 the vibrator (1) is fittable on a penis (12), in particular on a
4 penis tip (13).

1 2. (original) The vibrator according to claim 1,
2 characterized in that it can be retained on a penis (12), in
3 particular on a penis tip (13).

1 3. (currently amended) The vibrator according to ~~one of~~
2 ~~the preceding claims~~ claim 1, characterized in that it has an outer
3 end (3) forming the tip of the vibrator and holding in particular
4 at least one device (2) for producing vibrations and a middle
5 region (4) that fits on a penis (12), in particular on a penis tip
6 (13).

1 4. (currently amended) The vibrator according to ~~one of~~
2 ~~the preceding claims~~ claim 3, characterized in that the middle
3 region (4) is hollow and has at the tip of the vibrator (1) a
4 recess (5) in particular serving as reservoir for ejaculate.

1 5. (currently amended) The vibrator according to ~~one of~~
2 ~~the preceding claims~~ claim 3, characterized in that at least the
3 middle region (5) is formed of an elastic material which fits to
4 the outside of at least the penis tip (13).

1 6. (currently amended) The vibrator according to ~~one of~~
2 ~~the preceding claims~~ claim 3, characterized in that the middle
3 region (4) extends or can extend from the penis tip (13) at least
4 over a portion of the penis shaft.

1 7. (currently amended) The vibrator according to ~~one of~~
2 ~~the preceding claims~~ claim 3, characterized in that the middle
3 region (4) is constituted as an elastic sheath (7) which is rolled
4 up and which can be drawn or rolled down over the penis (12).

1 8. (currently amended) The vibrator according to ~~one of~~
2 ~~claims 1 to 6~~ claim 3, characterized in that the middle region (5)
3 is formed with a hollow extension (6) in particular of an elastic
4 material that partially or completely receives a penis (12) and
5 which in particular is provided with a device (2) for producing
6 vibrations.

1 9. (original) The vibrator according to claim 8,
2 characterized in that at an open end of the hollow extension (6,
3 6a, 6b) there is at least one device (14) for producing vibrations,
4 in particular in or on a thickened ring (11).

1 10. (original) The vibrator according to claim 9,
2 characterized in that in or on the thickened ring (11) there are
3 several devices (14) for producing vibrations that are uniformly
4 distributed around the periphery of the ring (11).

1 11. (original) A condom, characterized in that in that
2 it has a condom tip provide with at least one device (2) for
3 producing vibrations.

1 12. (original) The condom according to claim 11,
2 characterized in that in that it has an open condom end provided
3 with at least one device (14) for producing vibrations.

1 13. (currently amended) The vibrator or condom
2 according to ~~one of the preceding claims~~ claim 11, characterized in
3 that a device (2 or 14) for producing vibrations includes a
4 vibratory motor (8) and in particular an energy source (9).

1 14. (currently amended) The vibrator or condom
2 according to ~~one of the preceding claims~~ claim 13, characterized in
3 that the energy source (9) can be replaced.

1 15. (currently amended) The vibrator or condom
2 according to ~~one of the preceding claims~~ claim 13 , characterized
3 in that a switch (10) is provided for turning the vibratory motor
4 (8 or 14) on and/or off.

1 16. (original) The vibrator or condom according to
2 claim 15, characterized in that the switch (10) is formed by a
3 button and/or a temperature-controlled switching device that is in
4 particular operated when it reaches body temperature.